

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/700,344	11/03/2003	Andrew L. Cote SR.	1600/163	5277
7:	590 09/22/2004		EXAMI	INER
Steven G. Sau	inders		SIRMONS,	KEVIN C
Bromberg & St 125 Summer St			ART UNIT	PAPER NUMBER
Boston, MA			3763	
			DATE MAILED: 09/22/2004	<b>,</b>

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)	$\sim d$			
	10/700,344	COTE ET AL.	()/,			
Office Action Summary	Examiner	Art Unit				
	Kevin C. Sirmons	3763				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION.  - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication.  - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period we failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	66(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	ely filed s will be considered timely. the mailing date of this communicat D (35 U.S.C. § 133).	ion.			
Status						
1) Responsive to communication(s) filed on 03 No	ovembe <u>r 2003</u> .					
,						
3) Since this application is in condition for allowar			is			
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	3 O.G. 213.				
Disposition of Claims						
4) Claim(s) 1-36 is/are pending in the application.						
4a) Of the above claim(s) is/are withdray	vn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-36</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine	r.					
10) ☐ The drawing(s) filed on is/are: a) ☐ acce						
Applicant may not request that any objection to the						
Replacement drawing sheet(s) including the correct						
11) The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form P10-152.	•			
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	-(d) or (f).				
a) ☐ All b) ☐ Some * c) ☐ None of:						
1. Certified copies of the priority documents	s have been received.					
2. Certified copies of the priority documents						
3. Copies of the certified copies of the prior		ed in this National Stage				
application from the International Bureau		nd.				
* See the attached detailed Office action for a list	of the certified cobies flot receive	u.				
Attachment(c)						
Attachment(s)  1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	•				
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date <u>2/20/04</u> .	5) Notice of Informal P 6) Other:	atent Application (F 10-132)				

Art Unit: 3763

### **DETAILED ACTION**

### Specification

The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: See gland and plug.

The disclosure is objected to because of the following informalities: It is the Examiner's position that Applicant has evoked sixth paragraph, means-plus-function language to define Applicant's invention. Therefore the Examiner requires the Applicant to amend the specification pursuant to 37 CFR 1.75(d) and MPEP 608.01(o) to explicitly state, with reference to the terms and phrases of the claim element, what structure, materials, and acts perform the function recited in the claim element. Please note that the MPEP clearly states, "Even if the disclosure implicitly sets forth the structure, materials, or acts corresponding to the means-(or step-) plus-function claim element in compliance with 35 U.S.C. 112, first and second paragraphs, the PTO may still require the applicant to amend the specification pursuant to 37 CFR 1.75(d) and MPEP 608.01(o)..." (Also see MPEP 2181 (Rev. 1, Feb.2000)) See claims (31-36)

Appropriate correction is required.

### **Drawings**

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: first-third sections (claim 9). Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application.

Art Unit: 3763

Any amended replacement-drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

# Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 9 and 12 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

As to claim 9, it is unclear what applicant regards as the first-third sections. Identify by reference numerals.

As to claim 12, it is unclear how the plug member is at least partially within the plug member.

# Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Art Unit: 3763

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-7, 10-24 and 31-36 are rejected under 35 U.S.C. 102(b) as being anticipated by Brony U.S. Pat. No. 5,620,434.

Brony discloses a medical valve comprising: a housing defining a passageway, the passageway having an inlet section and an outlet section (fig. 8); a plug member (72) movably mounted within the passageway; and a substantially flexible, resilient gland member (80) secured to the housing and the plug member, the plug member being supported within the passageway by the gland member (fig. 8); as to claims 2-7, 9-12, (fig. 8 and cols. 6 and 7); as to claims 13-24, (see above rejections); as to claim 31-36, (see above rejection).

### Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 1-36 rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-19 of Newton et al U.S. Patent No. U.S. Pat. No. 6,755,391.

Art Unit: 3763

Although the conflicting claims are not identical, they are not patentably distinct from each other because both sets of claim are directed to a medical valve comprising housing; inlet, outlet; cannula and bellows/glands.

#### Conclusion

Any inquiry concerning this communication or earlier communication from the examiner should be directed to Kevin C. Sirmons whose telephone number is (703) 306-5410. The examiner can normally be reached on Monday - Thursday from 6:30 am to 4:00 pm. The examiner can also be reached on alternate Fridays.

Kevin C. Sirmons

Patent Examiner

9/20/04